Ford-New Holland 70 Genesis, 80 4WD



Seat & Suspension Kits

CHOOSE FROM



OR



OR



OR

PN: 6848

1005 Uni Pro™ Seat & Air/Mech Suspension PN: 6425 or 6426

1001 Uni Pro[™] Seat **Assembly**

OR

KM 1000/1003 Air Suspension PN: 6846

PN: 6773 **Charcoal Gray Fabric**

000 Uni Pro™ Seat & Air Suspension PN: 6848

1003 Uni Pro™ Seat & Air Suspension PN: 6849 Charcoal Gray Fabric Charcoal Gray Fabric

Air Suspension PN: 6847

Black/Gray Matrix Fabric

Gray Fabric (Air or Mech)

Use wtih Original Air without Swivel (Just PN: 6773)

PN: 6773



See PAGES 2-4 for applications, drawings and additional part information.

Easily accessible push-pull air switch (Just PNs: 6848 & 6849)

Adjustable shock absorber (Just PN: 6848)

Adjustable padded armrests fold up and out of the way allowing

easy access to the seat and individual comfort

Adjustable backrest angle adds comfort and versatility

Fore/aft isolator absorbs jarring for extra comfort (Isolator can also be disabled.) (Just PNs: 6848 & 6849)

Side-to-side isolator provides lateral movement (Just PN: 6848)

- Replacement kits for seat & air suspension (not air-oil)
- Made with durable charcoal gray Tufftex fabric
- Adjustable lumbar support

Just PNs: 6848 & 6849 with Air Suspension:

- Air suspension for smoother, more comfortable ride
- Self-contained 12-volt compressor is wired to the tractor's electrical system to provide power to the suspension
- Slide rails provide 5" fore/aft adjustment
- Durable rubber molded suspension cover
- Comes standard with operator presence switch

PN: 6848 Includes: KM 1000 Uni Pro™ Seat & Suspension, Install Hardware & Installation

PN: 6849 Includes: KM 1003 Uni Pro™ Seat & Suspension, Install Hardware & Installation

PN: 6773 Includes: KM 1001 Uni Pro™ Seat Assembly, Seat Adapter Plate, Install Hardware & Installation Instructions

Swivel is Optional (PN: 5003 for PNs: 6848 & 6849)

TRACTORSEATS.com

APPLICATIONS



Fits - Ford®-New Holland® 70 Genesis and 80 4WD Series Tractors

70 Genesis Series Row Crop: 8670, 8770, 8870, 8970; **80** 4WD Series: 9280, 9480, 9680, 9880, 9282, 9482, 9682, 9882, 9184, 9384, 9684, 9884

*Note: Original seat is a Sears seat. Grammer seat is optional.

- Complete seat & suspension replacement kit for air-oil suspension
- Grammer MSG95/741 Seat
- Air suspension for smoother, more comfortable ride
- Self-contained 12-volt compressor is wired to the tractor's electrical system to provide power to the suspension compressor
- Adjustable backrest extension
- Adjustable mechanical lumbar support
- Fold-up adjustable armrests
- Shock absorber adjusts for different settings
- 8.25" fore/aft suspension travel
- 3" height adjustment
- Durable suspension cover
- Operator presence switch

When seated, seat depth adjustment (right) and cushion angle adjustment (left) for individual fit

Air adjustment switch

PN: 6847 Includes: KM 1060 Uni Pro™ Seat & Suspension, Pedestal, Install Hardware & Installation Instructions

PN: 6846 Includes: KM 1000/1003 Air Suspension, Install Hardware & Installation Instructions

Swivel is Optional (PN: 5003 for PNs: 6847

See **PAGE 4** for drawings.

PN: 6847



Plush, spacious cushions for operator comfort

Adjustable slide rails with 4" of travel

Fore/aft isolator absorbs jarring for extra comfort (Isolator can also be disabled.)

PN: 6846

- Suspension replacement kit
- Original Sears air suspension
- Self-contained 12-Volt compressor
- Fore/aft isolator absorbs jarring for extra comfort
- 5" suspension stroke
- 9" maximum height

Air valve

Rubber molded suspension cover keeps suspension components free of dirt and dust



PN: 6425 Includes: KM 1005 Uni Pro[™] Seat & Air Suspension, Pedestal, Swivel, Install Hardware & Installation Instructions

PN: 6426 Includes: KM 1005 Uni Pro™ Seat & Mechanical Suspension, Pedestal, Swivel, Install Hardware & Installation Instructions

- Assembly is required (seat & suspenison do not come attached)
- Choose between 12-Volt air, or mechanical suspension
- Adjustable backrest folds forward and reclines
- Adjustable backrest extension for extra height
- 3-position adjustable seat height within 2.36"
- 110 287 lb weight adjustment
- Slide rails provide fore/aft adjustment
- Durable rubber suspension cover















