## JD 6000-7030 Series Seat & Suspension Kits





## TRACTORS ATS.com



## APPLICATIONS



Fits - John Deere® 6000-7030 Series Tractors: 6000 Series: 6100, 6200, 6300, 6400, 6500, 6800, 6900; 6010 Series: 6010, 6110, 6210, 6310, 6410, 6510, 6610, 6810, 6910; 6015 Series: 6215, 6415, 6615, 6715; 6020 Series: 6020, 6120, 6220, 6320, 6420, 6520, 6620, 6820, 6920; 6030 Series: 6130, 6230, 6230 Premium, 6330, 6330 Premium, 6430, 6430 Premium, 6530, 6530 Premium, 6630, 6630 Premium, 6830, 6830 Premium, 6930, 6930 Premium; 6L Series: 6200L, 6300L, 6320L, 6400L, 6420L, 6500L, 6520L; 6M Series: 6105M, 6110M, 6115M, 6120M, 6125M, 6130M, 6135M, 6140M, 6145M, 6150M, 6155M, 6170M, 6175M, 6195M; 6S Series: 6410S, 6420S, 6510S, 6910S, 6920S; 7020 Series: 7220, 7320, 7420, 7520; 7030 Series: 7130, 7130 Premium, 7230, 7230 Premium, 7330, 7330 Premium, 7430 Premium, 7430 E Premium, 7530 Premium. 7530 E Premium: Advantage Series: 6405. 6605: European Series: 6506, 6534, 6534 Premium, SE6010, SE6020, SE6100, SE6110, SE6120, SE6200, SE6210, SE6220, SE6300, SE6310, SE6320, SE6400, SE6410, SE6420, SE6510, SE6520, SE6610, SE6620

\*Note: Tractors with loader controller attached to RH armrest will have to re-use the OEM armrest or modify to make work with new RH armrest. **PN: 6900\* Includes:** KM 1310 Uni Pro<sup>™</sup> Seat & Suspension, Seat Adapter Plate, Install Hardware & Installation Instructions

**PN: 6965\* Includes:** KM 1310 Uni Pro<sup>™</sup> Seat & Suspension, JD Command Arm Bracket, Seat Adapter Plate, Install Hardware & Installation Instructions

Swivel is Optional (PN: 5007 for PNs: 6900 & 6965)

\*Please Note: The purple and orange wires are for the Operator Presence Switch, and the orange and black wires are for the 12-Volt compressor.

- Plush, spacious brown fabric cushions for comfort
- Low-frequency Grammer MSG95G DDS (Dynamic Dampening Suspension) air suspension
- Self-contained 12-volt compressor is wired to the tractor's electrical system to provide power to the suspension compressor
- Adjustable fold-up armrest for easy access
- 21.6" seat cushion width
- 3.9" suspension stroke
- 3.1" height adjustment
- Weight adjustment
- Meets ANSI requirements and ISO specifications



Adjustable backrest extension for extra height on back

Adjustable lumbar supports your lower back with multiple settings

-10° – +34° adjustable backrest adds comfort and versatility

Air switch

Slide rails provide 8.3" fore/aft adjustment ensuring operator comfort

Fore/aft isolator absorbs jarring for extra comfort



